


**CAT' MINH**  
TECHNOLOGY EQUIPMENT CO., LTD  

---

SINCE 2000



# Copper Product




## ***OUR BUSINESS***

Since 2000, with more than 18 years experience operating in Viet Nam Industry. We are leading to provide:

- Copper Wire
- Copper Pipe
- Copper Plate / Cathode

## ***EXPORT***

At present, we have been exporting to country :







## Copper Pipe

### Description


Purity	≥ 99.96% Cu Pure Copper Tube
Standards	ASTM, AISI, JIS, SUS, EN, DIN, BS, GB
Material	<p>ASTM Copper C10200, C11000, C10100, C12000, C11600, C46200, C46400, C26130, C65600</p> <p>Bronze C50500, C51100, C52100, C60800, C61000, C61900, C63010, C62300, C63000, C63280, C63020, C17200, C17000, C17500, C17510, C18200, C18100, C18200, C16200, C19400, C14500</p> <p>Cupronickel C70400, C71000, C71300, C71500, C70400, C70600, C75200, C77000, C75400, C79000, C79200</p>
Diameter	2mm~914mm
Thickness	0.2mm~210mm
Capacity	2,500 Ton/Month
Price Term	EX-Work, FOB, CFR, CIF
Package	Export standard package: bundled wooden box or be required
Delivery Time	According to customer' s quantity
Application	<ol style="list-style-type: none"> <li>1. Straight Copper Tubes for ACR and Refrigeration</li> <li>2. Inner-grooved copper tube for ACR and Refrigeration</li> <li>3. Copper Pipe for Transportation System of water, gas and oil</li> </ol>



## Copper Plate

### Description

Purity	≥ 99.96% Cu Pure Copper Plate
Standards	<p>GB/T5231-2001, GB/T1527-2006, JISH3100-2006, JISH3250-2006, JISH3300-2006, ASTM B152M-06, ASTMB18, ASTMB75M-02, ASTMB42-02, etc</p>
Material	<p>T1, T2, TP1, TP2, C10100, C10200, C10300, C10400, C10500, C10700, C10800, C10910, C10920, C10930, C11000, C11300, C11400, C11500, C11600, C12000, C12200, C12300, C12500, C14200, C14420, C14500, C14510, C14520, C14530, C17200, C19200, C21000, C23000, C26000, C27000, C27400, C28000, C33000, C33200, C37000, C44300, C44400, C44500, C60800, C63020, C65500, C68700, C70400, C70620, C71000, C71500, C71520, C71640, C72200, etc</p>
Thickness	0.01mm~200mm
Width	1mm~2500mm
Length	10mm~12000mm, or as required
Surface	Mill, polished, bright, hair line, brush, checkered, mirror, brush, antique, sand blast, etching, etc.
Price Term	EX-Work, FOB, CFR, CIF
Package	Export standard package: bundled wooden box or be required
Delivery Time	According to customer' s quantity
Application	Copper sheet can be made to do all sorts of deep drawing and bending stress components



## Copper Wire

Description

Purity	≥ 99.96% Cu Pure Copper Wire
Standards	ASTM, AISI, JIS, SUS, EN, DIN, BS, GB
Material	C1010, C1020, C1100, C1220
Diameter	2mm~50mm
Capacity	2,500 Ton/Month
Price Term	EX-Work, FOB, CFR, CIF
Package	Export standard package: bundled wooden box or be required
Delivery Time	According to customer' s quantity
Application	Such wires are suitable for overhead transmission and distribution applications.



## Export Packing





# Head office

Floor 5<sup>th</sup>, TEDI Building, No. 15A, Hoang Hoa Tham St  
Ward 6, Binh Thanh District, Ho Chi Minh, Viet Nam

**Tell:** +84 (0) 28 6258 3341 ; +84 (0) 28 6258 3347

**Fax:** +84 (0) 28 6258 3348

**Mail:** [info@catminh.com](mailto:info@catminh.com) ; [info@catminh.net](mailto:info@catminh.net)

**Website:** [catminh.com](http://catminh.com) ; [catminh.net](http://catminh.net)